

2009

A crucial role for TNF-alpha in mediating neutrophil influx induced by endogenously generated or exogenous chemokines, KC/CXCL1 and LIX/CXCL5. Vieira S, Lemos H, Grespan R, Napimoga M, Dal-Secco D, Freitas A, Cunha T, Verri Jr W, Souza-Junior D, Jamur M, Fernandes K, Oliver C, Silva J, Teixeira M, Cunha F. Br J Pharmacol. Br J Pharmacol. 2009; 158:779-89.

http://www.ncbi.nlm.nih.gov/pubmed/19702783?ordinalpos=2&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Activation of peripheral k/d opioid receptors mediates 15d-PGJ2 induced-antinociception in rats TMJ. Pena-Dos-Santos DR, Severino FP, Pereira SAL, Rodrigues DBR, Cunha FQ, Vieira SM, Napimoga MH, Clemente-Napimoga JT. Neuroscience, 2009; 163:1211-9.

http://www.ncbi.nlm.nih.gov/pubmed/19647045?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Anti-inflammatory activity and possible mechanism of extract from Mikania laevigata in carrageenan-induced peritonitis. Alves CF, Alves VB, de Assis IP, Clemente-Napimoga JT, Uber-Bucek E, Dal-Secco D, Cunha FQ, Rehder VL, Napimoga MH. J Pharm Pharmacol. 2009; 61:1097-104.

http://www.ncbi.nlm.nih.gov/pubmed/19703354?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Cannabidiol decreases bone resorption by inhibiting RANK/RANKL expression and pro-inflammatory cytokines during experimental periodontitis in rats. Napimoga MH, Benatti BB, Lima FO, Alves PM, Campos AC, Pena-Dos-Santos DR, Severino FP, Cunha FQ, Guimaraes FS. International Immunopharmacology, v. 9, p. 216-222, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19070683?ordinalpos=6&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Control of erosive tooth wear: possibilities and rationale. Serra M C, Messias DCF, Turssi CP. Braz Oral Res. 2009; 43:49-55.

Effect of a bleaching agent on abrasion of resin-based restoratives. Faraoni-Romano JJ, Turssi CP, Serra MC. Am J Dent. 2009; 22:171-4.

http://www.ncbi.nlm.nih.gov/pubmed/19650599?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Effect of a 10% carbamide peroxide on wear resistance of enamel and dentine: in situ study. Faraoni-Romano JJ, Turssi CP, Serra MC. J Dent. 2009; 37:273-8.

http://www.ncbi.nlm.nih.gov/pubmed/19157672?ordinalpos=3&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Expression of cytokines and chemokines and microvasculature alterations of the tongue from patients with chronic Chagas disease. Pereira SAL, Severino VO, Kohl NLM,

Rodrigues DBR, Alves PM, Clemente-Napimoga JT, Reis MA, Teixeira VPA, Napimoga MH. Parasitology Research, v. 105, p. 1031-1039, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19513749?ordinalpos=3&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Fracture Loads of All-Ceramic Crowns under Wet and Dry Fatigue Conditions. Borges GA, Caldas D, Taskonak B, Yan J, Sobrinho LC, de Oliveira WJ. J Prosthodont, v. 18 p. 649-655, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19682214?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Gonadal hormones decrease temporomandibular joint kappa-mediated antinociception through a down regulation in the expression of kappa opioid receptors in the trigeminal ganglia. Clemente-Napimoga JT, Pelegrini-Da-Silva A, Ferreira VHA, Napimoga MH, Parada CA, Tambeli CH. European Journal of Pharmacology, v. 617, p. 41-47, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19567249?ordinalpos=2&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

In situ detection of inflammatory cytokines and apoptosis in pemphigus foliaceus patients. Rodrigues DBR, Pereira SAL, Reis MA, Adad SJ, Caixeta JE, Chiba AM, Sousa RA, Rodrigues Jr V. Archives of Pathology & Laboratory Medicine, v. 133, p. 97-100, 2009.
[http://www.ncbi.nlm.nih.gov/pubmed/12965897?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DiscoveryPanel_Pubmed_Discovery_RA&linkpos=1&log\\$=relatedarticles&logdbfrom=pubmed](http://www.ncbi.nlm.nih.gov/pubmed/12965897?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DiscoveryPanel_Pubmed_Discovery_RA&linkpos=1&log$=relatedarticles&logdbfrom=pubmed)

In vitro wear of new indirect resin composites. Jain V, Platt JA, Moore BK, Borges GA. Oper Dent. 2009; 34:423-8.

http://www.ncbi.nlm.nih.gov/pubmed/19678447?ordinalpos=2&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Influence of the internal conditioning of indirect restorations of resin composite in relation to microleakage using LEDs and QTH units. Calabrez-Filho S, Calabrez VC, Reston EG, de Andrade MF, Borges LH. Oper Dent. 2009; 34:293-8.

http://www.ncbi.nlm.nih.gov/pubmed/19544818?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Lectin extracted from *Canavalia grandiflora* seeds presents potential anti-inflammatory and analgesic effects. Nunes BS, Rensonnet NS, Dal-Secco D, Vieira SM, Cavada BS, Teixeira EH, Moura TR, Teixeira CS, Clemente-Napimoga JT, Cunha FQ, Napimoga MH. Naunyn-Schmiedeberg's Archives of Pharmacology, v. 379, p. 609-616, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19153712?ordinalpos=5&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Local delivery of EGF-liposome mediated bone modeling in orthodontic tooth movement by increasing RANKL expression. Alves JB, Ferreira CL, Moreira AF, Silva GA, Alves GD, Paulino TP, Ciancaglini P, Thedei G Jr, Napimoga MH. Life Sci. 2009; 85:693-9.

http://www.ncbi.nlm.nih.gov/pubmed/19796647?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Papel do óxido nítrico no desenvolvimento de lesões cardíacas na fase aguda da infecção experimental pelo *Trypanosoma cruzi*. Borges CRB, Rodrigues Jr V, Castelano LR, Lazo JE, Pereira SAL, Santos ES, Rodrigues DBR. Revista da Sociedade Brasileira de Medicina Tropical, v. 42, p. 1-5, 2009.

http://www.ncbi.nlm.nih.gov/pubmed/19448936?ordinalpos=3&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Photodynamic Therapy in Planktonic and Biofilm Cultures of *Aggregatibacter actinomycetemcomitans*. Goulart RD, Bolean M, Paulino TD, Thedei G, Souza SL, Tedesco AC, Ciancaglini P. Photomed Laser Surg. 2009

http://www.ncbi.nlm.nih.gov/pubmed/19780630?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Polymorphism in the *Msx1* gene associated with hypodontia in a Brazilian family. Silva ER, Reis-Filho CR, Napimoga MH, Alves JB. J Oral Sci. 2009; 51:341-5.

http://www.ncbi.nlm.nih.gov/pubmed/19776500?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Potential agents to control enamel caries-like lesions. Rehder Neto FC, Maeda FA, Turssi CP, Serra MC. J Dent. 2009; 37:786-90.

http://www.ncbi.nlm.nih.gov/pubmed/19595495?ordinalpos=2&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

PPAR-gama agonist rosiglitazone prevents inflammatory periodontal bone loss by inhibiting osteoclastogenesis. Hassumi MY, Silva-Filho VJ, Campos-Filho JC, Vieira SM, Cunha FQ, Alves PM, Alves JB, Kawai T; Gonçalves RB, Napimoga MH. International Immunopharmacology, 2009; 9:1150-8.

http://www.ncbi.nlm.nih.gov/pubmed/19508902?ordinalpos=4&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Pulp reactions in human teeth capped with self-etching or total-etching adhesive systems. Pereira SA, de Menezes FC, Rocha-Rodrigues DB, Alves JB. Quintessence Int. 2009; 40:491-6.

http://www.ncbi.nlm.nih.gov/pubmed/19587890?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Role of nitric oxide in the development of cardiac lesions during the acute phase of experimental infection by *Trypanosoma cruzi*. Borges CR, Rodrigues Junior V, dos Reis MA, Castellano LR, Chica JE, Pereira SA, Santos ES, Rodrigues DB. Rev Soc Bras Med Trop. 2009; 42:170-4.

http://www.ncbi.nlm.nih.gov/pubmed/19448936?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

The effect of surface treatments on the micro-shear bond strength of a resin luting agent and four all-ceramic systems. Torres SM, Borges GA, Spohr AM, Cury AA, Yadav S, Platt JA. Oper Dent. 2009; 34:399-407.

http://www.ncbi.nlm.nih.gov/pubmed/19678444?ordinalpos=3&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

2008

15d-Prostaglandin J2 inhibits inflammatory hypernociception: involvement of peripheral opioid receptor. Napimoga MH, Souza GR, Cunha TM, Ferrari LF, Clemente-Napimoga JT, Parada CA, Verri Jr WA, Cunha FQ, Ferreira SH. Journal of Pharmacology and Experimental Therapeutics, v. 324, p. 313-321, 2008.

http://www.ncbi.nlm.nih.gov/pubmed/17928570?ordinalpos=13&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Ação dos Linfócitos T regulatórios em transplantes. Faria BA, Silva SM, Laguna MTC, Napimoga MH. Revista Brasileira de Hematologia e Hemoterapia, v. 30, p. 309-315, 2008.

http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1516-84842008000400015&lang=pt

Bleaching agents with varying concentrations of carbamide and/or hydrogen peroxides: effect on dental microhardness and roughness. Faraoni-Romano JJ, da Silveira AG, Turssi CP, Serra MC. J Esthet Restor Dent. 2008; 20:395-402.

http://www.ncbi.nlm.nih.gov/pubmed/19120787?ordinalpos=4&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Crucial role of neutrophils in the development of mechanical inflammatory hypernociception. Cunha TM, Verri Jr WA, Schivo I, Napimoga MH, Parada CA, Poole S, Teixeira MM, Ferreira SH, Cunha FQ. Journal of Leukocyte Biology, v. 83, p. 824-832, 2008.

http://www.ncbi.nlm.nih.gov/pubmed/18203872?ordinalpos=11&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

CXCR2-specific chemokines mediate LTB4-dependent recruitment of neutrophils to inflamed joints in mice with antigen-induced arthritis. Grespan R, Fukada SY, Lemos HP, Vieira SM, Napimoga MH, Teixeira MM, Fraser A, Liew FY, McInnes I, Cunha FQ. Arthritis and Rheumatism, v. 58, p. 2030-2040, 2008.

http://www.ncbi.nlm.nih.gov/pubmed/18576322?ordinalpos=8&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Delay in maturation of the submandibular gland in Chagas disease correlates with lower DNA synthesis. Alves JB, Napimoga MH, Araujo MS, Silva GAB. Memórias do Instituto Oswaldo Cruz, v. 103, p. 585-590, 2008.

http://www.ncbi.nlm.nih.gov/pubmed/18949329?ordinalpos=7&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Depth of cure of dental resin composites: ISO 4049 depth and microhardness of types of materials and shades. Moore BK, Platt JA, Borges G, Chu TM, Katsilieri I. Oper Dent. 2008; 33:408-12.

http://www.ncbi.nlm.nih.gov/pubmed/18666498?ordinalpos=2&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Direct capping of human pulps with a dentin bonding system and calcium hydroxide: an immunohistochemical analysis. Fernandes AM, Silva GAB, Lopes Jr N, Napimoga MH, Benatti BB, Alves JB. Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics, v. 105, p. 385-390, 2008

http://www.ncbi.nlm.nih.gov/pubmed/18280971?ordinalpos=10&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Efeito de frequência de aplicação de géis fluoretados no controle da erosão em esmalte. Jordão MC, Schiavoni RJS, Serra MC, Turssi CP. Arquivos em Odontologia (UFMG). 2008; 44:17-22.

http://www.odonto.ufmg.br/index2.php?option=com_docman&task=doc_view&gid=192&Itemid=125

Effects of ceramic thickness and curing unit on light transmission through leucite-reinforced material and polymerization of dual-cured luting agent. Pazin MC, Moraes RR, Gonçalves LS, Borges GA, Sinhoreti MA, Correr-Sobrinho L. J Oral Sci. 2008; 50:131-6.

http://www.ncbi.nlm.nih.gov/pubmed/18587201?ordinalpos=9&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Epidermal growth factor in liposomes may enhance osteoclast recruitment during tooth movement in rats. Saddi KR, Alves GD, Paulino TP, Ciancaglini P, Alves JB. Angle Orthod. 2008; 78:604-9.

http://www.ncbi.nlm.nih.gov/pubmed/18302457?ordinalpos=7&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

External multiple invasive cervical resorption with subsequent arrest of the resorption. Mattar R, Pereira SAL, Rodor RC, Rodrigues DBR. Dental Traumatology, v. 24, p. 556-559, 2008.

[http://www.ncbi.nlm.nih.gov/pubmed/18821963?log\\$=activity](http://www.ncbi.nlm.nih.gov/pubmed/18821963?log$=activity)

Fas/Fas-L expression, apoptosis and low proliferative response are associated with heart failure in patients with chronic Chagas' disease. Rodrigues V Jr, Agrelli GS, Leon SC, Silva Teixeira DN, Tostes S Jr, Rocha-Rodrigues DB. Microbes Infect. 2008; 10:29-37.

http://www.ncbi.nlm.nih.gov/pubmed/18078776?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Feasibility of using sodium bicarbonate solution as a damage-limiting strategy for erosion lesions. Messias DC, Martins ME, Serra MC, Turssi CP. Oral Health Prev Dent. 2008; 6:155-8.

http://www.ncbi.nlm.nih.gov/pubmed/18637393?ordinalpos=6&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Histórico de saúde: atenção a condições sistêmicas e suas implicações, sobretudo em fatores de risco de cárie. Gallarreta FWM, Turssi CP, Palma RG, Serra MC. Rev Odonto Ciência. 2008; 23:192-196.

<http://revistaseletronicas.pucrs.br/ojs/index.php/fo/article/view/4032>

Influence of different ceramics on resin cement Knoop Hardness Number. Borges GA, Agarwal P, Miranzi BA, Platt JA, Valentino TA, dos Santos PH. Oper Dent. 2008; 33:622-8.

http://www.ncbi.nlm.nih.gov/pubmed/19051854?ordinalpos=7&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Microscopia Eletrônica de varredura da adaptação marginal de materiais retroobturadores: avaliação histoquantitativa. Figueiredo NF, Nunes E, Silveira FF, Alves JB, Souza-Filho AD. Revista Brasileira de Odontologia, v. 65, p. 90-95, 2008.

Morphological changes and EGF expression in the granular convoluted tubule cells of submandibular glands of Trypanosoma cruzi infected rats. Moreira A, Napimoga MH, Benatti BB, Silva GAB, Rodrigues DBR, Clemente-Napimoga JT, Alves JB. Tissue & Cell, v. 40, p. 293-298, 2008.

http://www.ncbi.nlm.nih.gov/pubmed/18405932?ordinalpos=9&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Peroxisome proliferator-activated receptor-gamma ligand, 15-deoxi-delta12,14-prostaglandin J2, reduces neutrophil migration via NO pathway. Napimoga MH, Vieira SM, Dal-Secco D, Freitas A, Souto FO, Mestriner FL, Alves-Filho JC, Grespan R, Kawai T, Ferreira SH, Cunha FQ. Journal of Immunology (Baltimore), v. 180, p. 609-617, 2008.
http://www.ncbi.nlm.nih.gov/pubmed/18097063?ordinalpos=12&itool=EntrezSystem2.P Entrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSu m

Potential effect of sodium bicarbonate-containing dentifrice in controlling enamel erosion in situ. Messias DC, Serra MC, Turssi CP. Am J Dent. 2008; 21:300-2.

http://www.ncbi.nlm.nih.gov/pubmed/19024255?ordinalpos=5&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Protective effect and granuloma down-modulation promoted by RP44 antigen a fructose 1,6 bisphosphate aldolase of Schistosoma mansoni. Marques HH, Zouain CS, Torres CB, Oliveira JS, Alves JB, Goes AM. Immunobiology. 2008; 213:437-46.

http://www.ncbi.nlm.nih.gov/pubmed/18472052?ordinalpos=5&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Role of BMP-4 during tooth development in a model with complete dentition. Torres CB, Alves JB, Silva GA, Goes VS, Nakao LY, Goes AM. Arch Oral Biol. 2008; 53:2-8.

http://www.ncbi.nlm.nih.gov/pubmed/17803954?ordinalpos=9&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Sodium hyaluronate accelerates the healing process in tooth sockets of rats. Mendes RM, Silva GA, Lima MF, Calliari MV, Almeida AP, Alves JB, Ferreira AJ. Arch Oral Biol. 2008; 53:1155-62.

http://www.ncbi.nlm.nih.gov/pubmed/18692778?ordinalpos=4&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Study on the potential inhibition of root dentine wear adjacent to fluoride-containing restorations. Turssi CP, Hara AT, Domiciano SJ, Serra MC. J Mater Sci Mater Med. 2008; 19:47-51.

http://www.ncbi.nlm.nih.gov/pubmed/17577637?ordinalpos=8&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Surface modification of In-Ceram Zirconia ceramic by Nd:YAG laser, Rocatec system, or aluminum oxide sandblasting and its bond strength to a resin cement. Spohr AM, Borges GA, Júnior LH, Mota EG, Oshima HM. Photomed Laser Surg. 2008; 26:203-8.

http://www.ncbi.nlm.nih.gov/pubmed/1858435?ordinalpos=8&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

The effects of viscoelastic parameters on residual stress development in a zirconia/glass bilayer dental ceramic. Taskonak B, Borges GA, Mecholsky JJ Jr, Anusavice KJ, Moore BK, Yan J. Dent Mater. 2008; 24:1149-55.

http://www.ncbi.nlm.nih.gov/pubmed/18329705?ordinalpos=10&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

The influence of sex and ovarian hormones on temporomandibular joint nociception in rats. Fischer L, Torres-Chávez KE, Clemente-Napimoga JT, Jorge D, Arsati F, de Arruda Veiga MC, Tambeli CH. J Pain. 2008; 9:630-8.

http://www.ncbi.nlm.nih.gov/pubmed/18420460?ordinalpos=6&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Toluene permeabilization differentially affects F- and P-type ATPase activities present in the plasma membrane of *Streptococcus mutans*. Thedei G Jr, Leitão DP, Bolean M, Paulino TP, Spadaro AC, Ciancaglini P. Braz J Med Biol Res. 2008; 41:1047-53.

http://www.ncbi.nlm.nih.gov/pubmed/19148365?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Tongue microbiota and pathology: autopsy study. Pereira SAL, Santos VM, Rodrigues DBR, Correia D, Castro ECC, Reis MA, Teixeira VPA. Revista de la Facultad de Ciencias Medicas, v. 33, p. 84-90, 2008.

2007

An in vitro microbial model for producing caries-like lesions on enamel. Steiner-Oliveira C, Maciel FA, Rodrigues LKA, Napimoga MH, Pimenta LAF, Hofling JF, Gonçalves RB. Brazilian Journal of Oral Sciences (Online), v. 6, p. 1392-1396, 2007.

<http://www.fop.unicamp.br;brjorals/>

Comparação de técnicas de mensuração da infiltração marginal em restaurações de resina composta. Menezes FCH, Oliveira MAHM, Menezes MPS, Oliveira WJ, Rastelli ANS, Miranzi BA. Revista Brasileira de Odontologia. 2007; 64:33-37.

Comparative study of the wear behavior of composites for posterior restorations. Turssi CP, Faraoni-Romano JJ, de Menezes M, Serra MC. J Mater Sci Mater Med. 2007; 18:143-7.

http://www.ncbi.nlm.nih.gov/pubmed/17200825?ordinalpos=10&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Concentration-dependent effect of bleaching agents on microhardness and roughness of enamel and dentin. Faraoni-Romano JJ, Turssi CP, Serra MC. Am J Dent. 2007; 20:31-4.
http://www.ncbi.nlm.nih.gov/pubmed/17380805?ordinalpos=9&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

Efeito da matriz dentinária humana no reparto alveolar de ratos: avaliação histológica e imunohistoquímica. Almeida JM, Alves JB. RGO. Revista Gaúcha de Odontologia, v. 55, p. 17-22, 2007.

<http://bases.bireme.br/cgi-bin/wxislind.exe/iah/online/?IsisScript=iah/iah.xis&src=google&base=BBO&lang=p&nextAction=lnk&exprSearch=25621&indexSearch=ID>

Extrusion shear strength between an alumina-based ceramic and three different cements. Borges GA, de Goes MF, Platt JA, Moore K, de Menezes FH, Vedovato E. J Prosthet Dent. 2007; 98:208-15.

http://www.ncbi.nlm.nih.gov/pubmed/17854622?ordinalpos=12&itool=EntrezSystem2.PE ntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum

In vitro antimicrobial activity of peroxide-based bleaching agents. Napimoga MH, Oliveira R, Reis AF, Gonçalves RB, Giannini M. Quintessence International, v. 38, p. 329-333, 2007.

http://www.ncbi.nlm.nih.gov/pubmed/17625621?ordinalpos=16&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

In vitro inhibition of oral streptococci binding to the acquired pellicle by algal lectins. Teixeira EH, Napimoga MH, Carneiro VA, Oliveira TM, Nascimento KS, Nagano CS, Souza JB, Havit A, Pinto VPT, Gonçalves RB, Farias WRL, Sampaio SS, Sampaio AH, Cavada BS. Journal of Applied Microbiology, v. 103, p. 1001-1006, 2007.

http://www.ncbi.nlm.nih.gov/pubmed/17897204?ordinalpos=14&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Inhibition of bacterial adherence to saliva-coated through plant lectins. Oliveira MRTR, Napimoga MH, Cogo K, Gonçalves RB, Macedo MLR, Freire MGM, Groppo FC. Journal of Oral Science, v. 49, p. 141-145, 2007.

http://www.ncbi.nlm.nih.gov/pubmed/17634727?ordinalpos=15&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Lonchocarpus sericeus lectin decreases leukocyte migration and mechanical hypernociception by inhibiting cytokine and chemokines production. Napimoga MH, Cavada BS, Alencar NMN, Mota ML, Bittencourt FS, Alves-Filho JC, Grespan R, Gonçalves RB, Clemente-Napimoga JT, Freitas A, Parada CA, Ferreira SH, Cunha FQ. International Immunopharmacology, v. 7, p. 824-835, 2007

http://www.ncbi.nlm.nih.gov/pubmed/17466916?ordinalpos=17&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Quantitative analysis of fibrosis and mast cells in the tongue of chronic chagasic patients: autopsy study. Pereira SAL, Santos VM, Rodrigues DBR, Reis MA, Teixeira VPA. Médecine et Maladies Infectieuses, v. 37, p. 229-233, 2007.

http://www.ncbi.nlm.nih.gov/pubmed/17346914?ordinalpos=2&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Secretory A immunoglobulin, total proteins and salivary flow in Recurrent Aphthous Ulceration. Martinez Kde O, Mendes LL, Alves JB. Braz J Otorhinolaryngol. 2007; 73:323-8.

http://www.ncbi.nlm.nih.gov/pubmed/17684652?ordinalpos=10&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

Susceptibility of bleached enamel and root dentin to artificially formed caries-like lesions. de Menezes M, Turssi CP, Faraoni-Romano JJ, Serra MC. Am J Dent. 2007; 20:173-6.

http://www.ncbi.nlm.nih.gov/pubmed/17672259?ordinalpos=7&itool=EntrezSystem2.Pubmed_Pubmed_ResultsPanel_Pubmed_DefaultReportPanel_Pubmed_RVDocSum

The protective role of testosterone in the development of temporomandibular joint pain.
Fischer L, Clemente JT, Tambeli CH. J Pain. 2007; 8:437-42.

http://www.ncbi.nlm.nih.gov/pubmed/17360240?ordinalpos=1&itool=EntrezSystem2.PE ntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum